



CABLE TECHNIQUES

Product Guide & Retail Price List

April 1, 2019

Cable Techniques products are distributed worldwide by:

Redding Audio, LLC 101 N Plains Industrial Road Building 4 Wallingford, CT 06492
Phone: (203) 269.1808 sales@reddingaudio.com

For Complete Product Details and Dealer Finder go to: cabletechniques.com

Product design, contents and pricing subject to change without notice

Visual Index by Product Category



BATTERY BUD II PORTABLE DC DISTRO
SYSTEMS | PAGE: 4-5



DC POWER CABLES | PAGE: 6



BATTERY ADAPTORS
PAGE: 7



LOW-PROFILE XLR CONNECTORS, KITS
& RAW CABLE | PAGES: 8-9



LOW-PROFILE TA "MINI XLR"
CONNECTORS | PAGES: 10-11



LOW-PROFILE CABLES | PAGES: 12-16



CUE3 | PAGE: 23




LOW-PROFILE COILED CABLES & SLX
MIC JUMPER CABLES | PAGES: 17



MX-POWESLED | PAGE: 26



MICROPHONE CABLES | PAGE: 18



LECTROSONICS CABLES | PAGE: 19



SOUND DEVICES CABLES | PAGE: 20




COILED CABLES | PAGE: 21



CABLES FOR CAMERA MOUNTED
EQUIPMENT | PAGE: 22



SENNHEISER CABLES, STANDARD CONNec-
TORS | PAGE: 24



Product Index

PRODUCT	PAGE
BATTERY BUD II - Portable DC Distribution System	4
BATTERY BUD II USB - Portable DC Distribution System with USB Dedicated Charging Port	5
DC Powering Cables and Battery Adaptors	6-7
MX-POWERSLED - Battery Eliminator" for Sound Devices MixPre-3/MixPre-6 recorders	26
Cue3 - Passive Volume Control and Line Tester	23
<i>Low-Profile Connectors and Low-Profile Cables</i>	
Low-Profile XLR Connectors	8-9
Raw Cable for DIY Low-Profile cables	9
DIY Low-Profile Connector & Cable Kits	9
Low-Profile TA3F, TA4F and TA5F Connectors	10-11
Low-Profile XLR to XLR Cables	12-13
Low-Profile XLR to TA3F Cables	16
Low-Profile TA3F to XLR Cables	15
Low-Profile TA3F to TA3F Cables	14
Low-Profile TA5F to TA5F Cables	16
Low-Profile Lectrosonics Cables	13
Low-Profile Sennheiser Cables	13
Low-Profile Coiled Cables	17
Low-Profile Slim-line Microphone Cables	17
Standard Connectors	25
ConnvertX-3 Selectable Gender XLR-3 to TA3F Cable	20
Microphone Cables, Mono	18
Digital Microphone Cables, Mono	18
Microphone Cables, Stereo	18
Microphone Cables, "Y" Stereo Splitter Cables	18
Lectrosonics Interface Cables	19
Sound Devices Interface Cables	20
Coiled Cables Boom Pole-to-Mixer, Camera-mounted wireless and microphones	21
Sennheiser Cables, Miscellaneous Cables	24
Cables for equipment mounted on a camera	22

BATTERY BUD II


PORTABLE DC DISTRIBUTION BOX WITH HIROSE 4-PIN CONNECTIONS



BATTERY BUD II - a super-small modular DC distribution box that will split power from a single battery source via Five Hirose 4-pin outputs. The Battery Bud II was designed for the production sound professional. It's small, lightweight and field durable. We offer a full complement of high quality cables to mate with the most popular field production equipment.

Based on the success of the original Battery Bud, the "II" fulfills the demand for more outputs and higher current capacity for the increasingly complex audio bag arrangements.

The box ergonomics and connector orientation have been carefully selected to effortlessly integrate into your existing bag setup without impeding the placement of your existing audio gear. The connections are on the bottom of the box for the cleanest possible cable arrangement in your bag. All Cable Techniques products are carefully hand assembled in the United States using premium materials.



Bottom View



Top View



Back View

Features:

- Industry standard Hirose 4-pin Female connections for DC I/O
- [Five Hirose outputs](#)
- Custom recessed On/Off switch
- Internal 6A electronic auto-resetting internal breaker
- Tough wrinkle powder coat finish with laser engraved markings
- Lightweight metal box with removable belt clip included
- Dimensions: 2" x 2" x 1 1/4"
- Weight: only 2.9 oz (82 g)
- All connections on the bottom for tidy cable arrangement

Code	Item	Price
	Battery Bud II	
BB-002	Battery Bud II - Small Portable DC Distribution Box, Hirose 4-pin connections, FIVE outputs, 12-18V DC, 6A	\$ 199.00
BBUDKIT-SR	Kit includes: Battery Bud II, BB-NP, BB-SDMX-18, (2) BB-SR-24/1, for (2) Lectro SRa5P or SRb5P (SEXT) receivers w/ Sound Devices mixer	\$ 399.99
BBUDKIT-UCR	Kit includes: Battery Bud II, BB-NP, BB-SDMX-18, (2) BB-BAG-24/2, for (4) Lectrosonics UCR receivers with Sound Devices mixer	\$ 399.99
CT-CLIP	Belt Clip only, used on Battery Bud II, RX Emergency, Legacy Battery Bud, 2.5cm x 4.5cm, Stainless	\$ 6.00
	See Battery Bud DC Cables and Input Adaptors on Page 6-7	

BATTERY BUD II USB

PORTABLE DC DISTRIBUTION BOX WITH HIROSE 4-PIN CONNECTIONS AND USB POWER



BATTERY BUD II USB - Battery Bud II USB was designed for the location sound professional. A super-small modular DC distribution box that will split power from a single battery source via Five Hirose 4-pin outputs. Conveniently located on the top of the unit, the USB Dedicated Charging Port (DCP) will charge Smartphones and tablets and other USB devices.

The Battery Bud II USB fulfills the demand for multiple outputs, a higher current capacity and USB power for Smartphone and tablet charging during production.

The box ergonomics and connector orientation have been carefully selected to effortlessly integrate into your existing bag setup without impeding the placement of your existing audio gear. The connections are on the bottom of the box for the cleanest possible cable arrangement in your bag. All Cable Techniques products are carefully hand assembled in the United States using premium materials.



Bottom View



Top View



Back View


Features:

- Industry standard Hirose 4-pin Female connections for DC I/O
- [USB Dedicated Charging Port \(DCP\) for charging Smartphones, 5V, 2A, Unswitched](#)
- Five Hirose outputs
- Custom recessed On/Off switch
- Internal 6A electronic auto-resetting internal breaker
- Tough wrinkle powder coat finish with laser engraved markings
- Lightweight metal box with removable belt clip included
- Dimensions: 2" x 2" x 1 1/4"
- Weight: only 2.9 oz (82 g)

Code	Item	Price
	Battery Bud II USB	
BB-003	Battery Bud II USB - Small Portable DC Distribution Box, Hirose 4-pin connections, FIVE outputs, 12-18V DC, 6A, USB DCP - 5V, 2A	\$ 239.00
BBUDuKIT-SR	Kit includes: Battery Bud II USB, BB-NP, BB-SDMX-18, (2) BB-SR-24/1, for (2) Lectro SRa5P/SRb5P (SEXT) receivers and mixer	\$ 439.99
BBUDuKIT-UCR	Kit includes: Battery Bud II USB, BB-NP, BB-SDMX-18, (2) BB-BAG-24/2, for (4) Lectrosonics UCR receivers and mixer	\$ 439.99
	See Battery Bud DC Cables and Input Adaptors on Page 6-7	



DC POWERING CABLES & INPUT ADAPTORS

HIGH-QUALITY INTERCONNECTS



DC POWERING CABLES - Battery Bud systems can be used to distribute power to many different brands and types of external DC capable production sound equipment. Our interconnect cable selection includes cables to use with popular brands such as Sound Devices, Lectrosonics, Zaxcom, Tascam, Zoom, Shure, Wendt, PSC and more.

All Hirose 4-pin equipped Battery Bud cables are carefully handcrafted to the highest standards using only premium materials. The quality and durability of interconnect cables in a DC distribution system is of tremendous importance for trouble free operation and the well being of your valuable gear. Cable Techniques DC cables can also be used with other devices equipped with a Hirose 4 output that complies to the relevant standard for our industry: Pin-1 Ground, Pin 4-Hot. This of course includes all our Battery Bud versions, Audioroot, Hawk Woods systems and Cameras (Sony etc.)



Code	Item	Price
	DC Powering Cables / Battery Bud Output	
BB-BAG-24/1*	24" Hirose to single right angle DC powering cable for Lectrosonics UCR receivers and ISO9VOLT Battery Eliminators	\$ 48.00
BB-BAG-24/2*	24" x 2 Hirose to dual right angle DC powering cable for Lectrosonics UCR receivers and ISO9VOLT Battery Eliminators	\$ 52.00
BB-HRS-SR-24	24" Hirose to single right angle Locking DC powering cable for Lectrosonics SRc and SRb receivers and SMBATELIM	\$ 42.00
BB-SDMX-06	6" Hirose to Hirose DC powering cable, for Sound Devices 688, 664, 633, MixPre 10T, 302, 552, 744T, 702T, 788T, SQN, Schoeps PSD 2, Mini-DA42, Lectro Quadpack, Zaxcom Nomad, Maxx, RX-12, Ambient ACN-ML	\$ 46.00
BB-SDMX-06-RS	6" Hirose Right Angle to Hirose DC powering cable, for Sound Devices 688, 664, 633, MixPre 10T, 302, 552, 744T, 702T, 788T, SQN, Schoeps PSD 2, Mini-DA42, Lectro Quadpack, Zaxcom Nomad, Maxx, RX-12, Ambient ACN-ML	\$ 52.00
BB-SDMX-12	12" Hirose to Hirose DC powering cable, for Sound Devices 688, 664, 633, MixPre 10T, 302, 552, 744T, 702T, 788T, SQN, Schoeps PSD 2, Mini-DA42, Lectro Quadpack, Zaxcom Nomad, Maxx, RX-12, Ambient ACN-ML	\$ 48.00
BB-SDMX-18	18" Hirose to Hirose DC powering cable, for Sound Devices 688, 664, 633, MixPre 10T, 302, 552, 744T, 702T, 788T, SQN, Schoeps PSD 2, Mini-DA42, Lectro Quadpack, Zaxcom Nomad, Maxx, RX-12, Ambient ACN-ML	\$ 48.00
BB-SDMX-18-RS	18" Hirose Right Angle to Hirose DC powering cable, for Sound Devices 688, 664, 633, MixPre 10T, 302, 552, 744T, 702T, 788T, SQN, Schoeps PSD 2, Mini-DA42, Lectro Quadpack, Zaxcom Nomad, Maxx, RX-12, Ambient ACN-ML	\$ 52.00
BB-SDMX-18-RR	18" Hirose Right Angle to Hirose Right Angle DC powering cable, for Sound Devices 688, 664, 633, MixPre 10T, 302, 552, 744T, 702T, 788T, SQN, Schoeps PSD 2, Mini-DA42, Lectro Quadpack, Zaxcom Nomad, Maxx, RX-12, Ambient ACN-ML	\$ 55.00
BB-ZAX-24	24" Hirose to Right Angle coaxial locking (761K), for Zaxcom Receivers - Stereoline, RX900, QRX, Mic Plexer	\$ 45.00
BB-ZAXTX-24	24" Hirose to Right Angle coaxial locking (760K), for Zaxcom Transmitters - IFB100/200, STA100/150/042	\$ 45.00
BB-CSMX-12	12" Hirose to XLR-4F for Cedar DNS-2, Zaxcom Fusion & Deva, AJA Ki-PRO, Cooper CS104, Fostex PD-4 & PD-6	\$ 55.00
BB-LPHX4F-06	6" Hirose to LPXLR-4F Low-Profile DC powering cable, for Cedar DNS-2, Zaxcom Fusion/Deva, AJA Ki-PRO etc.	\$ 55.00
BB-LPHX4F-18	18" Hirose to LPXLR-4F Low-Profile DC powering cable, for Cedar DNS-2, Zaxcom Fusion/Deva, AJA Ki-PRO etc.	\$ 55.00
CT-BDS-LEC	24" DC power cable compatible with BDS/Powerstar Mini, Right Angle coaxial locking to RA coaxial to power a single Lectro UCR receiver	\$ 36.00
CT-BDS-SR	24" DC power cable compatible with BDS/Powerstar Mini/MD-6u, Right Angle coaxial locking to RA coaxial to power Lectro SR receiver	\$ 36.00
CT-BDS-ZAX	24" DC power cable compatible with BDS/Powerstar Mini/MD-6u, Right Angle coaxial locking to Right Angle coaxial locking (761K), for Zaxcom Receivers - Stereoline, RX900, QRX, Mic Plexer,	\$ 36.00
CT-BDS-ZAXTX	24" DC power cable compatible with BDS, Powerstar Mini or MD-6u, Right Angle coaxial locking to Right Angle coaxial locking (760K), for Zaxcom Transmitters - IFB100/200, STA100/150/042	\$ 36.00

* 14 mm barrel length, 5.5 mm barrel diameter, 2.1 mm internal diameter

DC POWERING CABLES & INPUT ADAPTORS

HIGH-QUALITY INTERCONNECTS



Code	Item	Price
	NP-1 Battery Adaptors, SMART Battery Adaptors and DC Power Cables to Battery Bud Input	
BB-NP	NP-1 power adaptor cap to Hirose 4-pin for NP-1 style rechargeable battery into the Battery Bud. 15" cable	\$ 68.00
BB-NP-RA	NP-1 power adaptor cap to Right Angle Hirose 4-pin to input NP-1 battery into compatible gear with Hirose 4-pin DC input, 15" cable	\$ 68.00
BB-NP-PT	NP-1 power adaptor cap to Pigtail Leads (No Connector), 15" cable	\$ 48.00
BB-NP-X4	NP-1 power adaptor cap to XLR 4-pin Female to power gear with XLR 4-pin DC, 15" cable	\$ 68.00
BB-NP-LPX4	NP-1 power adaptor cap to Low-Profile XLR 4-pin Female to power gear with XLR 4-pin, 15" cable	\$ 68.00
BB-SMARTCAP-H4	Smart Battery Adaptor cap to Hirose 4-pin, to input Smart Battery (Inspired Energy, Audio Root, Remote Audio Hi-Q) into Battery Bud Hirose 4-pin DC input, 24" (DC only, battery telemetry NOT transmitted)	\$ 68.00
BB-SMARTCAP-PT	Smart Battery Adaptor cap to Pigtail Leads (No Connector), for use with Smart Battery (Inspired Energy, Audio Root, Remote Audio Hi-Q), 24" (for DC only, battery telemetry NOT transmitted)	\$ 50.00
BB-SMARTCAP-X4	Smart Battery Adaptor cap to XLR-4F, for use with Smart Battery (Inspired Energy, Audio Root, Remote Audio Hi-Q) to compatible XLR 4-pin DC input, 24" (DC only, battery telemetry NOT transmitted)	\$ 68.00
BB-LPX4M-18	18" LPXLR-4M Low-Profile Male to Hirose DC cable, for (For 12-18 VDC Input to Battery Bud)	\$ 55.00
BB-NXL4M-12	12" 4-pin XLR-Male to Hirose, (For 12-18 VDC Input to Battery Bud or Hirose 4 equipped gear)	\$ 51.00
BB-HA4M-6	6" Adaptor, 4-pin XLR-Male to Hirose, (For 12-18 VDC Input to Battery Bud or Hirose 4 equipped gear)	\$ 51.00

Low-Profile XLR Connectors

3-PIN, FEMALE & MALE, MULTI-POSITION 90° SIDE-EXIT



Low-Profile XLR Connectors - Interconnect cables with Low-Profile connectors considerably reduce the weight of your rig and allow for beautifully organized setups that benefit your workflow. Our Low-Profile connectors are assembled "DIY" as easy as standard connectors and can be repaired on the fly. The XLR Cap outlet accepts cable diameters up to 3.4mm. You can set the outlet orientation from 30° to 150° and 210° to 330° - more than enough range to accommodate the typical field gear panels on the market. Angle fine-tuning is quick & easy. Our custom caps are injection moulded of ABS thermoplastic for maximum impact resistance and toughness. The shells are a custom precision cast with a matte non-reflective black finish and gold contact pins.

Color Coded: The XLR connectors are available with 10 different Cap colors. The interchangeable XLR Color Caps can be ordered to customize your color profile at any time.



Code	Item	Price
	Low-Profile XLR 3-pin Female Connectors	
CT-LPXLR-3F-K	Low-Profile XLR 3-pin Female Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Black cap	\$14.95
CT-LPXLR-3F-R	Low-Profile XLR 3-pin Female Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Red cap	\$14.95
CT-LPXLR-3F-B	Low-Profile XLR 3-pin Female Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Blue cap	\$14.95
CT-LPXLR-3F-G	Low-Profile XLR 3-pin Female Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Green cap	\$14.95
CT-LPXLR-3F-Y	Low-Profile XLR 3-pin Female Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Yellow cap	\$14.95
CT-LPXLR-3F-N	Low-Profile XLR 3-pin Female Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Orange cap	\$14.95
CT-LPXLR-3F-W	Low-Profile XLR 3-pin Female Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, White cap	\$14.95
CT-LPXLR-3F-A	Low-Profile XLR 3-pin Female Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Gray cap	\$14.95
CT-LPXLR-3F-P	Low-Profile XLR 3-pin Female Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Purple cap	\$14.95
CT-LPXLR-3F-S	Low-Profile XLR 3-pin Female Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Brown cap	\$14.95
CT-LPXLR-3F-10SET	Pack of (10) Low-Profile XLR 3-pin Female Connectors, Multi-position 90° side cable-exit, matte black shell, gold pins, Black caps	\$149.50
	Low-Profile XLR 3-pin Male Connectors	
CT-LPXLR-3M-K	Low-Profile XLR 3-pin Male Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Black cap	\$14.95
CT-LPXLR-3M-R	Low-Profile XLR 3-pin Male Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Red cap	\$14.95
CT-LPXLR-3M-B	Low-Profile XLR 3-pin Male Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Blue cap	\$14.95
CT-LPXLR-3M-G	Low-Profile XLR 3-pin Male Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Green cap	\$14.95
CT-LPXLR-3M-Y	Low-Profile XLR 3-pin Male Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Yellow cap	\$14.95
CT-LPXLR-3M-N	Low-Profile XLR 3-pin Male Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Orange cap	\$14.95
CT-LPXLR-3M-W	Low-Profile XLR 3-pin Male Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, White cap	\$14.95
CT-LPXLR-3M-A	Low-Profile XLR 3-pin Male Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Gray cap	\$14.95
CT-LPXLR-3M-P	Low-Profile XLR 3-pin Male Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Purple cap	\$14.95
CT-LPXLR-3M-S	Low-Profile XLR 3-pin Male Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Brown cap	\$14.95
CT-LPXLR-3M-10SET	Pack of (10) Low-Profile XLR 3-pin Male Connectors, Multi-position 90° side cable-exit, matte black shell, gold pins, Black caps	\$149.50

Low-Profile XLR Connectors

4-PIN & 5-PIN FEMALE & MALE, COLOR CAPS AND RAW BULK CABLE

Code	Item	Price
	Low-Profile XLR 4-pin Connectors	
CT-LPXLR-4F-K	Low-Profile XLR 4-pin Female Connector, Multi-position 90° side cable-exit, 3.8mm outlet , matte black, Black cap	\$16.95
CT-LPXLR-4M-K	Low-Profile XLR 4-pin Male Connector, Multi-position 90° side cable-exit, 3.8mm outlet , matte black, Black cap	\$16.95
	Low-Profile XLR 5-pin Connectors	
CT-LPXLR-5F-K	Low-Profile XLR 5-pin Female Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Black cap	\$16.95
CT-LPXLR-5M-K	Low-Profile XLR 5-pin Male Connector, Multi-position 90° side cable-exit, matte black shell, gold pins, Black cap	\$16.95
	XLR Color Caps only	
CT-LPXCAP-10-SET	Low-Profile Cap Set for Low-Profile XLR connectors, Incl. (2) each Red, Blue, Yellow, Green, Orange, White, Black, Grey, Purple, Brown	\$18.95
CT-LPXCAP-K	Low-Profile Cap, for CT-LPXLR Low-Profile XLR Connectors, Black	\$0.99
CT-LPXCAP-R	Low-Profile Cap, for CT-LPXLR Low-Profile XLR Connectors, Red	\$0.99
CT-LPXCAP-B	Low-Profile Cap, for CT-LPXLR Low-Profile XLR Connectors, Blue	\$0.99
CT-LPXCAP-Y	Low-Profile Cap, for CT-LPXLR Low-Profile XLR Connectors, Yellow	\$0.99
CT-LPXCAP-G	Low-Profile Cap, for CT-LPXLR Low-Profile XLR Connectors, Green	\$0.99
CT-LPXCAP-N	Low-Profile Cap, for CT-LPXLR Low-Profile XLR Connectors, Orange	\$0.99
CT-LPXCAP-W	Low-Profile Cap, for CT-LPXLR Low-Profile XLR Connectors, White	\$0.99
CT-LPXCAP-A	Low-Profile Cap, for CT-LPXLR Low-Profile XLR Connectors, Gray	\$0.99
CT-LPXCAP-P	Low-Profile Cap, for CT-LPXLR Low-Profile XLR Connectors, Purple	\$0.99
CT-LPXCAP-S	Low-Profile Cap, for CT-LPXLR Low-Profile XLR Connectors, Brown	\$0.99
	Premium Raw Cable for DIY projects with Low-Profile XLR and TA Connectors, Per Meter (39")	
	<i>Premium quality cable that is crush resistant, tear-resistant, cold-resistant and easy to wind</i>	
CT-RAWCB-272	Raw cable for LPXLR 3-pin and LPS-TA3 connectors, 2.7mm OD, Shield + 2 conductors, PUR jacket material is crush resistant, tear-resistant, cold-resistant, per meter (39")	\$5.00
CT-RAWCB-322	Raw cable for LPXLR 3-pin and LPTA3 connectors, 3.2mm OD, Shield + 2 conductors, PUR jacket material is crush resistant, tear-resistant, cold-resistant, per meter (39")	\$5.00
CT-RAWCB-284	Raw cable for LPS-TA5 and LPXLR-5 connectors, 2.8mm OD, Shield + 4 conductors, per meter, PUR jacket material is crush resistant, tear-resistant, cold-resistant, per meter (39")	\$10.00
CT-RAWCB-234	Raw cable for LPS-TA5 connectors, 2.3mm OD, Shield + 4 conductors, PVC jacket, per meter (39")	\$10.00
	DIY Low-Profile XLR Connector & Raw Cable Sets for field mixer/recorder custom cable making	
CT-LP-DIY-X-3	Low-Profile XLR 3-pin cable DIY Set for field mixer/recorder custom cable making, includes: (3) LPXLR-3F, (3) LPXLR-3M, 2 meters of raw CT-RAWCB-322 3.2mm OD cable, (2) ea. Red, Blue, Green Caps	\$89.95
CT-LP-DIY-X-6	Low-Profile XLR 3-pin cable DIY Set for field mixer/recorder custom cable making, includes: (6) LPXLR-3F, (6) LPXLR-3M, 5 meters of raw CT-RAWCB-322 3.2mm OD cable, (2) ea. Red, Blue, Green, Yellow, Orange, White Caps	\$189.95
CT-LP-DIY-X-10	Low-Profile XLR 3-pin cable DIY Set for field mixer/recorder custom cable making, includes: (10) LPXLR-3F, (10) LPXLR-3M, 10 meters of raw CT-RAWCB-322 3.2mm OD cable, (2) ea. Red, Blue, Green, Yellow, Orange, White, Purple, Grey, Brown, Black Caps	\$329.95

LPS Low-PROFILE TA3F / TA4F / TA5F CONNECTORS

LEFT OR RIGHT MULTI-POSITION 90° OUTLET



LPS Low-PROFILE TA "MINI XLR CONNECTORS" - LPS Series LoPro TA connectors are designed for cable diameters up to about 3.0mm OD and even lavalier microphones. We offer TA3F, TA4F and TA5F versions of the connector. The outlet can be set to either Right or Left of the release pin with a 60° adjustment swing to fine-tune the angle. Similar to our XLR's, LPS connectors have a fitted moulded ABS color cap held firmly in place with mini grub screws for lasting durability and the ability to disassemble and repair. There are many compatible cable options for LPS connectors including Mogami, Belden 1804A and our CT-RAW cable options.

Color Coded: The TA3F, TA4F & TA5F connectors can be color-coded with 10 different cap colors or Color Polydomes could be used to color-code LPS TA connectors with Black caps.



Code	Item	Price
TA3F	<i>LPS Series Low-Profile TA3F [3-pin Mini XLR], for cables up to 3.0mm OD, Adjustable Left or Right Outlet</i>	
CT-LPS-TA3-K	LPS Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Black cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA3-R	LPS Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Red cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA3-B	LPS Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Blue cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA3-G	LPS Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Green cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA3-Y	LPS Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Yellow cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA3-N	LPS Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Orange cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA3-W	LPS Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, White cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA3-A	LPS Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Gray cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA3-P	LPS Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Purple cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA3-S	LPS Low-Profile TA3F "Mini XLR" 3-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Brown cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA3-180-K	LPS Low-Profile TA3F 180 "Mini XLR" 3-pin Female Connector, Cable outlet 180° from of release pin, Black cap, Adjustable, +/- 3.0mm cable outlet	\$9.95
TA4F	<i>LPS Series Low-Profile TA4F [4-pin Mini XLR], for cables up to 3.0mm OD, Adjustable Left or Right Outlet</i>	
CT-LPS-TA4-K	LPS Low-Profile TA4F "Mini XLR" 4-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Black cap, +/- 3.0mm cable outlet	\$9.95

LPS Low-Profile TA "Mini XLR" CONNECTORS

LEFT OR RIGHT MULTI-POSITION 90° OUTLET

Code	Item	Price
TA5F	<i>LPS Series Low-Profile TA5F [5-pin Mini XLR], for cables up to 3.0mm OD, Adjustable Left or Right Outlet</i>	
CT-LPS-TA5-K	LPS Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Black cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA5-R	LPS Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Red cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA5-B	LPS Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Blue cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA5-G	LPS Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Green cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA5-Y	LPS Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Yellow cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA5-N	LPS Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Orange cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA5-W	LPS Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, White cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA5-A	LPS Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Gray cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA5-P	LPS Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Purple cap, +/- 3.0mm cable outlet	\$9.95
CT-LPS-TA5-S	LPS Low-Profile TA5F "Mini XLR" 5-pin Female Connector, Adjustable Left or Right 90° Side-exit cable outlet, Brown cap, +/- 3.0mm cable outlet	\$9.95
	Color Polydome Set for Low-Profile TA Connectors	
CT-LPPD-10SET	Polydome Set, Incl. (2) each Black, Red, Blue, Green, Yellow, Orange, White, Grey, Purple, Brown for Low-Profile TA / Mini XLR connectors	\$10.00
	Color Caps for LPS Series TA3F, TA4F & TA5F Connectors	
CT-LPS-CAP-10SET	LPS Lo-Pro TA Cap Set, Incl. (2) each Red, Blue, Yellow, Green, Orange, White, Black, Grey, Purple, Brown for LPS Series Low-Profile TA connectors	\$18.95
CT-LPS-CAP-K	LPS Lo-Pro TA Cap, for LPS Low-Profile TA3F, TA4F, TA5F Connectors, Black	\$0.99
CT-LPS-CAP-R	LPS Lo-Pro TA Cap, for LPS Low-Profile TA3F, TA4F, TA5F Connectors, Red	\$0.99
CT-LPS-CAP-B	LPS Lo-Pro TA Cap, for LPS Low-Profile TA3F, TA4F, TA5F Connectors, Blue	\$0.99
CT-LPS-CAP-Y	LPS Lo-Pro TA Cap, for LPS Low-Profile TA3F, TA4F, TA5F Connectors, Yellow	\$0.99
CT-LPS-CAP-G	LPS Lo-Pro TA Cap, for LPS Low-Profile TA3F, TA4F, TA5F Connectors, Green	\$0.99
CT-LPS-CAP-N	LPS Lo-Pro TA Cap, for LPS Low-Profile TA3F, TA4F, TA5F Connectors, Orange	\$0.99
CT-LPS-CAP-W	LPS Lo-Pro TA Cap, for LPS Low-Profile TA3F, TA4F, TA5F Connectors, White	\$0.99
CT-LPS-CAP-A	LPS Lo-Pro TA Cap, for LPS Low-Profile TA3F, TA4F, TA5F Connectors, Gray	\$0.99
CT-LPS-CAP-P	LPS Lo-Pro TA Cap, for LPS Low-Profile TA3F, TA4F, TA5F Connectors, Purple	\$0.99
CT-LPS-CAP-S	LPS Lo-Pro TA Cap, for LPS Low-Profile TA3F, TA4F, TA5F Connectors, Brown	\$0.99

LOW-PROFILE CABLES


XLR AND TA MINI XLR



LOW-PROFILE CABLES - Interconnect cables with Low-Profile connectors considerably reduce the weight of your rig and allow for beautifully organized setups. Our Low-Profile connectors can be disassembled and repaired on the fly. You can adjust the XLR and TA cable outlets to suit your exact needs. The PUR jacket material used on most of our LoPro cables is crush resistant, tear-resistant and cold-resistant.

Reduce the load: Our Low-Profile cables can be up to 40% lighter than standard XLR cables while significantly reducing the profile of the interconnect panels.

Color Coded: The connectors are available with 10 different color identifiers. Interchangeable Color Caps and TA Polydomes can be ordered to customize your color profile at any time.



Code	Item	Price
	Low-Profile XLR 3-pin Female to XLR 3-pin Male Cables	
CT-LPXR-10K	10" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Black Caps	\$39.95
CT-LPXR-10R	10" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Red Caps	\$39.95
CT-LPXR-10B	10" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Blue Caps	\$39.95
CT-LPXR-10G	10" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Green Caps	\$39.95
CT-LPXR-10Y	10" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Yellow Caps	\$39.95
CT-LPXR-10N	10" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Orange Caps	\$39.95
CT-LPXR-10W	10" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, White Caps	\$39.95
CT-LPXR-10A	10" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Gray Caps	\$39.95
CT-LPXR-10P	10" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Purple Caps	\$39.95
CT-LPXR-10S	10" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Brown Caps	\$39.95
CT-LPXR-18K	18" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Black Caps	\$40.95
CT-LPXR-18R	18" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Red Caps	\$40.95
CT-LPXR-18B	18" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Blue Caps	\$40.95
CT-LPXR-18G	18" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Green Caps	\$40.95
CT-LPXR-18Y	18" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Yellow Caps	\$40.95
CT-LPXR-18N	18" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Orange Caps	\$40.95
CT-LPXR-18W	18" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, White Caps	\$40.95
CT-LPXR-18A	18" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Gray Caps	\$40.95
CT-LPXR-18P	18" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Purple Caps	\$40.95
CT-LPXR-18S	18" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Brown Caps	\$40.95
CT-LPXR-24K	24" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Black Caps	\$42.95
CT-LPXR-24R	24" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Red Caps	\$42.95
CT-LPXR-24B	24" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm diam. cable, Blue Caps	\$42.95
CT-LPXR-24G	24" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Green Caps	\$42.95
CT-LPXR-24Y	24" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Yellow Caps	\$42.95
CT-LPXR-24N	24" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Orange Caps	\$42.95

LOW-PROFILE XLR CABLES

Code	Item	Price
	Low-Profile XLR 3-pin Female to XLR 3-pin Male Cables	
CT-LPXR-24W	24" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, White Caps	\$42.95
CT-LPXR-24A	24" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Gray Caps	\$42.95
CT-LPXR-24P	24" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Purple Caps	\$42.95
CT-LPXR-24S	24" Low-Profile XLR 3-pin cable, Multi-position side cable-exit connectors, XLR-F to XLR-M, 3.2mm dia. cable, Brown Caps	\$42.95

	Low-Profile Lectrosonics Specialty Cables	
CT-LP-LT-L10R	10" Low-Profile XLR-3F to Low-Profile TA5F cable for Balanced LINE level signals into Lectrosonics transmitters, Red Caps, use with field mixer outputs to Lectrosonics SM-type transmitters for "Camera Hops"	\$44.95
CT-LP-LT-L24B	24" Low-Profile XLR-3F to Low-Profile TA5F cable for Balanced LINE level signals into Lectrosonics transmitters, Blue Caps, use with field mixer outputs to Lectrosonics SM-type transmitters for "Camera Hops"	\$47.95
CT-LP-LR-18XB	18" Low-Profile cable for Lectrosonics LR receiver output to Balanced XLR Inputs, Low-Profile TA3F to LPXLR-3M, Blue Caps	\$44.95
CT-LP-LR-18TB	18" Low-Profile cable for Lectrosonics LR receiver output to Sound Devices 6-Series Balanced TA3M Inputs, Low-Profile TA3F to Low-Profile TA3F, Blue Caps	\$52.95
CT-LP-LR-12U	12" Low-Profile cable for Lectrosonics LR receiver output to DSLR camera mic inputs, Low-Profile TA3F to 3.5mm TRS right angle, for DSLR inputs. Mono o/p L/R combined, Blue Cap	\$29.95
CT-LP-SR5P-RR-24	24" Right Angle TA5F to (2) Low-Profile LPXLR-3M, cable for Lectrosonics SRc5P/SRb5P receiver outputs into field mixers/recorders, [CH1 Blue/CH2 Red], 4-position adjustable TA5F at 0°, 90°, 180° and 270°	\$95.00
CT-LP-SR5P-RT-24	24" Right Angle TA5F to (2) Low-Profile TA3F, cable for Lectrosonics SRc5P/SRb5P receiver outputs into Sound Devices 633, 688, 664, 788T, [CH1 Blue/CH2 Red], 4-position adjustable TA5F at 0°, 90°, 180° & 270°	\$95.00
CT-LP-PSR5P-RS-24	24" Right Angle TA5F to (2) XLR-3M, cable for Lectrosonics SRc5P/SRb5P receiver outputs, 2.7mm OD, Neutrik XLR-3 straight male connectors, 4-position adjustable TA5F at 0°, 90°, 180° and 270°	\$95.00
CT-LP-SR5P-24	24" Low-Profile "Y" cable for Lectrosonics SRc5P/SRb5P receiver outputs to (2) LPXLR-3M into field mixers/recorders like Sound Devices 633, 664, 688, 302, 552, etc., Low-Profile TA5F to (2) LPXLR-3M [CH1 Blue/CH2 Red] with slim Junction Box	\$140.00
CT-LP-DCHT-X-18	18" Low-Profile "Y" Camera Hops cable for Lectrosonics DCHT Input, (2) LPXLR-3F to TA6F, [CH1 Blue/CH2 Red]	\$55.00
CT-LP-DCHT-T-18	18" "Y" Camera Hops cable for Lectrosonics DCHT Input, (2) TA3F to TA6F, [CH1 Blue/CH2 Red]	\$55.00
CT-LP-DCHT-D-18	18" Low-Profile AES DIGITAL Camera Hops cable for Lectrosonics DCHT, LPXLR-3F to TA6F, [CH1 / CH2], Purple cap	\$49.95
	Low-Profile Sennheiser Specialty Cables	
CT-MIN-LPUOX-18	18" 3.5mm TRS Mini Moulded Locking Right Angle to Low-Profile XLR 3-pin Male, Low-Profile Output cable for Sennheiser EK 100 G4/G3 and RodeLink, Unbalanced, Adjustable XLR outlet orientation	\$34.95
CT-MIN-LPUOT-18	18" 3.5mm TRS Mini Moulded Locking Right Angle to Low-Profile TA3F cable, Low-Profile Output cable for Sennheiser EK 100 G4/G3 and RodeLink to Sound Devices 633, 688 and 664 [CL-6] TA3M Line inputs, Unbalanced, Adjustable outlet orientation	\$34.95
CT-MIN-LPBOX-18	18" 3.5mm TRS Mini Moulded Locking Right Angle to Low-Profile XLR 3-pin Male, Low-Profile Sennheiser EK 2000, Senal AWS-2000R and Sony UWP Output cable, Balanced, Adjustable XLR outlet orientation	\$34.95
CT-MIN-LPBOT-18	18" 3.5mm TRS Mini Moulded Locking Right Angle to Low-Profile TA3F cable, Low-Profile Sennheiser EK 2000, Senal AWS-2000R and Sony UWP Output cable to Sound Devices 633, 688 and 664 [CL-6] TA3M Line inputs, Balanced, Adjustable outlet orientation	\$34.95
CT-MIN-LPXIN-18	18" Low-Profile XLR 3-pin Female to 3.5mm TRS Mini Moulded Locking Right Angle, Low-Profile Sennheiser SK 100 G4/G3 Line Input cable for "Camera Hops" with portable mixer/recorders, Adjustable XLR outlet orientation	\$34.95
CT-MIN-LPTIN-18	18" Low-Profile LPS TA3F to 3.5mm TRS Mini Moulded Locking Right Angle, Low-Profile Sennheiser SK 100 G4/G3 Line Input cable from Sound Devices 6-Series TA3M Outs [X1, X2 etc.] for "Camera Hops", Adjustable TA3F outlet orientation	\$34.95
CT-SG3LPOP-24	24" 3.5mm TRS to Low-Profile XLR 3-pin Male, Low-Profile Sennheiser EK 100 G3 Output cable, Unbalanced, high quality 3.5mm TRS connector, Adjustable XLR outlet angle, Blue Cap	\$39.95
CT-SG3LPOPT3-24	24" 3.5mm TRS to TA3F (Right Side-exit) cable, Low-Profile Sennheiser EK 100 G3 Output cable to Sound Devices 633, 688 and 664 [CL-6] TA3M Line inputs, Unbalanced, high quality 3.5mm TRS connector, Adjustable XLR outlet angle, Blue Cap	\$44.95
CT-S2KLPOP-24	24" 3.5mm TRS to Low-Profile XLR 3-pin Male, Low-Profile Sennheiser EK 2000, Senal AWS-2000R and Sony UWP Output cable, Balanced, high quality 3.5mm TRS connector, Adjustable XLR outlet angle, Red Cap	\$39.95
CT-S2KLPOPT3-24	24" 3.5mm TRS to LoPro TA3F cable, Low-Profile Sennheiser EK 2000 Output cable to Sound Devices 633, 688 and 664 [CL-6] TA3M Line inputs, Balanced, high quality 3.5mm TRS connector, Adjustable XLR outlet angle, Red Cap	\$44.95
CT-SG3LPIN-18	18" Low-Profile XLR 3-pin Female to 3.5mm TRS, Low-Profile Sennheiser EK 100 G3 Input cable, high quality 3.5mm TRS connector, Adjustable XLR outlet angle, Blue Cap	\$39.95
CT-CC600-8U	8" Coiled Low-Profile cable for Sennheiser MKE 600 into DSLR camera 3.5mm microphone input, Low-Profile XLR-3F to 3.5mm TRS right angle, 8" coil, for DSLR inputs, Blue Cap	\$24.95
CT-S600-12U	12" Low-Profile cable for Sennheiser MKE 600 into DSLR camera 3.5mm microphone input, Low-Profile XLR-3F to 3.5mm TRS right angle, for DSLR inputs, Blue Cap	\$19.95

LPS LOW-PROFILE CABLES

Code	Item	Price
	LPS Series Low-Profile Cables feature Slim and Ultra-durable PUR cable and adjustable outlet orientation	
TA3F to TA3F	<i>LPS Series Low-Profile Cables, TA3F to TA3F, Use with Lectrosonics SR to Sound Devices 6-Series, 7-Series etc.</i>	
CT-LPS33-12K	12" Low-Profile LPS TA3F to TA3F cable, Black Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12R	12" Low-Profile LPS TA3F to TA3F cable, Red Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12B	12" Low-Profile LPS TA3F to TA3F cable, Blue Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12G	12" Low-Profile LPS TA3F to TA3F cable, Green Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12Y	12" Low-Profile LPS TA3F to TA3F cable, Yellow Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12N	12" Low-Profile LPS TA3F to TA3F cable, Orange Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12W	12" Low-Profile LPS TA3F to TA3F cable, White Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12A	12" Low-Profile LPS TA3F to TA3F cable, Gray Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12P	12" Low-Profile LPS TA3F to TA3F cable, Purple Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-12S	12" Low-Profile LPS TA3F to TA3F cable, Brown Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18K	18" Low-Profile LPS TA3F to TA3F cable, Black Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18R	18" Low-Profile LPS TA3F to TA3F cable, Red Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18B	18" Low-Profile LPS TA3F to TA3F cable, Blue Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18G	18" Low-Profile LPS TA3F to TA3F cable, Green Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18Y	18" Low-Profile LPS TA3F to TA3F cable, Yellow Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18N	18" Low-Profile LPS TA3F to TA3F cable, Orange Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18W	18" Low-Profile LPS TA3F to TA3F cable, White Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18A	18" Low-Profile LPS TA3F to TA3F cable, Gray Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18P	18" Low-Profile LPS TA3F to TA3F cable, Purple Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-18S	18" Low-Profile LPS TA3F to TA3F cable, Brown Caps, Adjustable Left or Right 90° Side-exit cable	\$39.95
CT-LPS33-24K	24" Low-Profile LPS TA3F to TA3F cable, Black Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24R	24" Low-Profile LPS TA3F to TA3F cable, Red Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24B	24" Low-Profile LPS TA3F to TA3F cable, Blue Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24G	24 Low-Profile LPS TA3F to TA3F cable, Green Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24Y	24" Low-Profile LPS TA3F to TA3F cable, Yellow Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24N	24" Low-Profile LPS TA3F to TA3F cable, Orange Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24W	24" Low-Profile LPS TA3F to TA3F cable, White Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24A	24" Low-Profile LPS TA3F to TA3F cable, Gray Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24P	24" Low-Profile LPS TA3F to TA3F cable, Purple Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
CT-LPS33-24S	24" Low-Profile LPS TA3F to TA3F cable, Brown Caps, Adjustable Left or Right 90° Side-exit cable	\$42.95
	<i>Continued on next page</i>	

LPS Low-PROFILE CABLES

Code	Item	Price
	LPS Series Low-Profile Cables feature Slim and Ultra-durable PUR cable and adjustable outlet orientation	
TA3F to XLR-3M	<i>LPS Series Low-Profile Cables, TA3F to XLR-3M, Use with Lectrosonics SR to Sound Devices, Zaxcom, Zoom, Tascam etc.</i>	
CT-LPS-3TMX-12K	12" Low-Profile LPS TA3F to LPXLR-3M cable, Black Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12R	12" Low-Profile LPS TA3F to LPXLR-3M cable, Red Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12B	12" Low-Profile LPS TA3F to LPXLR-3M cable, Blue Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12G	12" Low-Profile LPS TA3F to LPXLR-3M cable, Green Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12Y	12" Low-Profile LPS TA3F to LPXLR-3M cable, Yellow Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12N	12" Low-Profile LPS TA3F to LPXLR-3M cable, Orange Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12W	12" Low-Profile LPS TA3F to LPXLR-3M cable, White Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12A	12" Low-Profile LPS TA3F to LPXLR-3M cable, Gray Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12P	12" Low-Profile LPS TA3F to LPXLR-3M cable, Purple Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-12S	12" Low-Profile LPS TA3F to LPXLR-3M cable, Brown Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18K	18" Low-Profile LPS TA3F to LPXLR-3M cable, Black Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18R	18" Low-Profile LPS TA3F to LPXLR-3M cable, Red Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18B	18" Low-Profile LPS TA3F to LPXLR-3M cable, Blue Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18G	18" Low-Profile LPS TA3F to LPXLR-3M cable, Green Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18Y	18" Low-Profile LPS TA3F to LPXLR-3M cable, Yellow Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18N	18" Low-Profile LPS TA3F to LPXLR-3M cable, Orange Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18W	18" Low-Profile LPS TA3F to LPXLR-3M cable, White Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18A	18" Low-Profile LPS TA3F to LPXLR-3M cable, Gray Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18P	18" Low-Profile LPS TA3F to LPXLR-3M cable, Purple Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-18S	18" Low-Profile LPS TA3F to LPXLR-3M cable, Brown Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-3TMX-24K	24" Low-Profile LPS TA3F to LPXLR-3M cable, Black Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24R	24" Low-Profile LPS TA3F to LPXLR-3M cable, Red Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24B	24" Low-Profile LPS TA3F to LPXLR-3M cable, Blue Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24G	24" Low-Profile LPS TA3F to LPXLR-3M cable, Green Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24Y	24" Low-Profile LPS TA3F to LPXLR-3M cable, Yellow Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24N	24" Low-Profile LPS TA3F to LPXLR-3M cable, Orange Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24W	24" Low-Profile LPS TA3F to LPXLR-3M cable, White Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24A	24" Low-Profile LPS TA3F to LPXLR-3M cable, Gray Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24P	24" Low-Profile LPS TA3F to LPXLR-3M cable, Purple Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-3TMX-24S	24" Low-Profile LPS TA3F to LPXLR-3M cable, Brown Caps, Adjustable 90° Side-exit cable	\$42.95
	<i>Continued on next page</i>	

LPS Low-PROFILE CABLES

Code	Item	Price
	LPS Series Low-Profile Cables feature Slim and Ultra-durable PUR cable and adjustable outlet orientation	
<i>XLR-3F to TA3F</i>	<i>LPS Series Low-Profile Cables, XLR-3F to TA3F, Use with Lectrosonics UCR to Sound Devices 6-Series, 7-Series etc.</i>	
CT-LPS-FX3T-12K	12" Low-Profile LPXLR-3F to LPS TA3F cable, Black Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12R	12" Low-Profile LPXLR-3F to LPS TA3F cable, Red Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12B	12" Low-Profile LPXLR-3F to LPS TA3F cable, Blue Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12G	12" Low-Profile LPXLR-3F to LPS TA3F cable, Green Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12Y	12" Low-Profile LPXLR-3F to LPS TA3F cable, Yellow Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12N	12" Low-Profile LPXLR-3F to LPS TA3F cable, Orange Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12W	12" Low-Profile LPXLR-3F to LPS TA3F cable, White Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12A	12" Low-Profile LPXLR-3F to LPS TA3F cable, Gray Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12P	12" Low-Profile LPXLR-3F to LPS TA3F cable, Purple Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-12S	12" Low-Profile LPXLR-3F to LPS TA3F cable, Brown Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18K	18" Low-Profile LPXLR-3F to LPS TA3F cable, Black Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18R	18" Low-Profile LPXLR-3F to LPS TA3F cable, Red Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18B	18" Low-Profile LPXLR-3F to LPS TA3F cable, Blue Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18G	18" Low-Profile LPXLR-3F to LPS TA3F cable, Green Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18Y	18" Low-Profile LPXLR-3F to LPS TA3F cable, Yellow Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18N	18" Low-Profile LPXLR-3F to LPS TA3F cable, Orange Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18W	18" Low-Profile LPXLR-3F to LPS TA3F cable, White Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18A	18" Low-Profile LPXLR-3F to LPS TA3F cable, Gray Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18P	18" Low-Profile LPXLR-3F to LPS TA3F cable, Purple Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-18S	18" Low-Profile LPXLR-3F to LPS TA3F cable, Brown Caps, Adjustable 90° Side-exit cable	\$39.95
CT-LPS-FX3T-24K	24" Low-Profile LPXLR-3F to LPS TA3F cable, Black Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24R	24" Low-Profile LPXLR-3F to LPS TA3F cable, Red Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24B	24" Low-Profile LPXLR-3F to LPS TA3F cable, Blue Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24G	24" Low-Profile LPXLR-3F to LPS TA3F cable, Green Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24Y	24" Low-Profile LPXLR-3F to LPS TA3F cable, Yellow Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24N	24" Low-Profile LPXLR-3F to LPS TA3F cable, Orange Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24W	24" Low-Profile LPXLR-3F to LPS TA3F cable, White Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24A	24" Low-Profile LPXLR-3F to LPS TA3F cable, Gray Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24P	24" Low-Profile LPXLR-3F to LPS TA3F cable, Purple Caps, Adjustable 90° Side-exit cable	\$42.95
CT-LPS-FX3T-24S	24" Low-Profile LPXLR-3F to LPS TA3F cable, Brown Caps, Adjustable 90° Side-exit cable	\$42.95
<i>TA5F to TA5F</i>	<i>Two-channel LPS Low-Profile Cables, Use with Lectro SRc5P, Wisycom & Zaxcom QRX receivers to Zaxcom recorders etc.</i>	
CT-LPS55-12K	12" Low-Profile LPS TA5F to TA5F cable, 2.8mm OD cable, Black Caps, Adjustable Left or Right 90° Side-exit cable	\$44.95
CT-LPS55-18K	18" Low-Profile LPS TA5F to TA5F cable, 2.8mm OD cable, Black Caps, Adjustable Left or Right 90° Side-exit cable	\$44.95
CT-LPS55-24K	24" Low-Profile LPS TA5F to TA5F cable, 2.8mm OD cable, Black Caps, Adjustable Left or Right 90° Side-exit cable	\$47.95

LOW-PROFILE XLR CABLES

LOW-PROFILE COILED BOOM TO MIXER, SLIM-LINE JUMPERS AND MIC CABLES



Code	Item	Price
	Low-Profile Premium COILED XLR Boom to Mixer and Jumper Cables	
CT-LP-CBC-18	18" LoPro LPXLR-3F to LPXLR-3M Coiled "Boom to Mixer" cable with Low-Profile connectors, extends to 6'	\$65.00
CT-LP-CBC-RS-18	18" LoPro LPXLR-3F to Straight XLR-3M Coiled "Boom pole to Mixer" cable, extends to 6'	\$65.00
CT-LP-CBC-18ST	18" LPXLR-5F to XLR-5M STEREO Coiled "Boom to Mixer" cable, Low-Profile XLR-5F to Straight XLR-5M, extends to 6', Gray Cap and Ring	\$79.00
CT-LP-CC-6	6" LPXLR-3F to LPXLR-3M Coiled Jumper cable with Low-Profile connectors, extends to 15"	\$42.00
CT-LPS-CCT3X-8	8" LPS TA3F to LPXLR-3M Low-Profile Coiled Jumper cable, Balanced, extends to 15"	\$42.00
	Slim-line Low-Profile Mic Jumper and Microphone Cables	
CT-LP-SLX-3009	9" LPXLR-3F to XLR-3M Adjustable Angle Low-Profile "Shortie" XLR 3-pin Mic Jumper Cable, 2.8mm dia. Mogami W3031 cable, Black Cap	\$29.95
CT-LP-SLX-5009	9" LPXLR-5F to XLR-5M Adjustable Angle Low-Profile "Shortie" XLR 5-pin Stereo Mic Jumper Cable, 2.8mm dia. flexible cable, Gray Cap and Ring	\$39.95
CT-SLX-306	6' premium Slim-line microphone cable, 3.4mm Quad cable, XLR 3-pin connectors, Black shells, gold pins	\$39.95



MICROPHONE CABLES

PREMIUM QUALITY, GENUINE MATERIALS, ROAD WORTHY

*Production
Essentials
Series*



MICROPHONE CABLES - premium microphone cables assembled in the U.S.A. using only quality components in genuine Canare® cable and Neutrik® XX Series XLR connectors. Available in standard 3-pin and Stereo 5-pin versions in the most common lengths. Black cable, Black connector shells with gold pins. Each cable has a durable, cable length indicator label and Cable Techniques *Rip-Tie* Velcro cable wrap.



Pin-outs for 5-pin Connections

Pin 1: Ground
Pin 2: CH 1 +phase
Pin 3: CH 1 -phase
Pin 4: CH 2 +phase
Pin 5: CH 2 -phase




STEREO "Y" CABLES - premium microphone "Y" cables assembled in the U.S.A. using only quality components in genuine Canare® cable and Neutrik® XX Series XLR connectors. Available as XLR 5-pin Female to (2) XLR 3-pin Male or (2) XLR 3-pin Female to (1) XLR 5-pin Male for "splitting" Stereo 5-pin cables. 18" lengths, Black cable, Black connector shells w/ gold pins.

For quick identification, the XLR-3 connectors on our "Y" cables utilize a BLUE ring for Left/CH 1 and a RED ring for Right/CH 2.

Code	Item	Price
XLR-3	<i>Microphone Cables have length indicator labels and include a Cable Techniques Rip-Tie Velcro cable wrap</i>	
CT-PX-310	10' premium microphone cable, Canare L4E6S cable, Neutrik XX Series XLR 3-pin connectors, Black, gold pins	\$ 34.99
CT-PX-325	25' premium microphone cable, Canare L4E6S cable, Neutrik XX Series XLR 3-pin connectors, Black, gold pins	\$ 47.99
CT-PX-350	50' premium microphone cable, Canare L4E6S cable, Neutrik XX Series XLR 3-pin connectors, Black, gold pins	\$ 67.99
CT-PX-3100	100' premium microphone cable, Canare L4E6S cable, Neutrik XX Series XLR 3-pin connectors, Black, gold pins	\$ 109.99
XLR-5 Stereo	<i>Stereo 5-pin Microphone Cables have Gray colored XLR rings for easy identification</i>	
CT-PX-510	10' premium Stereo microphone cable, Canare L4E6S cable, Neutrik XX Series XLR 5-pin connectors, Black, gold pins	\$ 44.99
CT-PX-525	25' premium Stereo microphone cable, Canare L4E6S cable, Neutrik XX Series XLR 5-pin connectors, Black, gold pins	\$ 57.99
CT-PX-550	50' premium Stereo microphone cable, Canare L4E6S cable, Neutrik XX Series XLR 5-pin connectors, Black, gold pins	\$ 76.99
"Y" Cables	<i>For "Splitting" XLR-5 Stereo Microphone Cables</i>	
CT-PYF-18	18" (1) XLR 5-pin Female to (2) XLR 3-pin Male "Y" cable, Canare L2E5, Neutrik XX connectors, Black, gold pins	\$ 47.99
CT-PYM-18	18" (2) XLR 3-pin Female to (1) XLR 5-pin Male "Y" cable, Canare L2E5, Neutrik XX connectors, Black, gold pins	\$ 44.99
CT-LP-PYF-18	18" (1) Straight XLR 5-pin Female to (2) LPXLR-3M Low-Profile XLR 3-pin Male "Y" cable, [CH1 Blue/CH2 Red]	\$59.95
Digital XLR-3	<i>Digital 110 ohm Mic Cables have length indicator labels and include a Cable Techniques Rip-Tie Velcro cable wrap</i>	
CT-PXD-36	6' premium 110 Ω Digital microphone cable, Mogami cable, Black Neutrik XLR 3-pin connectors with gold pins	\$ 37.95
CT-PXD-310	10' premium 110 Ω Digital microphone cable, Mogami cable, Black Neutrik XLR 3-pin connectors with gold pins	\$ 39.95
CT-PXD-325	25' premium 110 Ω Digital microphone cable, Mogami cable, Black Neutrik XLR 3-pin connectors with gold pins	\$ 59.95
CT-PXD-350	50' premium 110 Ω Digital microphone cable, Mogami cable, Black Neutrik XLR 3-pin connectors with gold pins	\$ 79.95

LECTROSONICS™ INTERFACE CABLES
PREMIUM QUALITY, GENUINE MATERIALS, ROAD WORTHY


*Production
Essentials
Series*



Code	Item	Price
	Camera Hops Cables	
CT-PCL-18B	18" TA3F to TA5F, for SD 633, 552, 664, 688 or 788T TA3 Balanced outs to Lectro transmitters "Hops" cable, -45 dB pad, Blue cable	\$ 55.00
CT-PCL-24B	24" TA3F to TA5F, for SD 633, 552, 664, 688 or 788T TA3 Balanced outs to Lectro transmitters "Hops" cable, -45 dB pad, Blue cable	\$ 57.00
CT-PLT-M24	24" XLR-3F to TA5F cable for balanced MIC level signals into Lectrosonics Legacy or Servo-Bias input transmitters	\$ 34.99
CT-PLT-L24	24" XLR-3F to TA5F cable for balanced LINE level signals into Lectrosonics Legacy or Servo-Bias input transmitters	\$ 34.99
	UCR Receiver Output Cables	
CT-PXR-18K	18" XLR-3F Right Angle to XLR-3 Male UCR receiver cable, Canare L2E5 cable, Neutrik XX Series, Black XLR Ring	\$ 34.99
CT-PXR-18R	18" XLR-3F Right Angle to XLR-3 Male UCR receiver cable, Canare L2E5 cable, Neutrik XX Series, Red XLR Ring	\$ 34.99
CT-PXR-18B	18" XLR-3F Right Angle to XLR-3 Male UCR receiver cable, Canare L2E5 cable, Neutrik XX Series, Blue XLR Ring	\$ 34.99
CT-PXR-18Y	18" XLR-3F Right Angle to XLR-3 Male UCR receiver cable, Canare L2E5 cable, Neutrik XX Series, Yellow XLR Ring	\$ 34.99
CT-PXR-18G	18" XLR-3F Right Angle to XLR-3 Male UCR receiver cable, Canare L2E5 cable, Neutrik XX Series, Green XLR Ring	\$ 34.99
CT-PXR-18N	18" XLR-3F Right Angle to XLR-3 Male UCR receiver cable, Canare L2E5 cable, Neutrik XX Series, Orange XLR Ring	\$ 34.99
CT-PXR-SET	Set of (5) CT-PXR-18 cables, one of each color Red, Blue, Green, Yellow and Orange XLR Rings, 18" lengths	\$ 169.00
CT-PXR-24K	24" XLR-3F Right Angle to XLR-3 Male UCR receiver cable, Canare L2E5 cable, Neutrik XX Series, Black XLR Ring	\$ 36.99
CT-PXR3-18K	18" XLR-3F Right Angle to TA3F Balanced audio bag UCR receiver cable to SD 633, 664, 688, 788T etc., Black XLR Ring	\$ 32.99
CT-PXR3-18R	18" XLR-3F Right Angle to TA3F Balanced audio bag UCR receiver cable to SD 633, 664, 688, 788T etc., Red XLR Ring	\$ 32.99
CT-PXR3-18B	18" XLR-3F Right Angle to TA3F Balanced audio bag UCR receiver cable to SD 633, 664, 688, 788T etc., Blue XLR Ring	\$ 32.99
CT-PXR3-18Y	18" XLR-3F Right Angle to TA3F Balanced audio bag UCR receiver cable to SD 633, 664, 688, 788T etc., Yellow XLR Ring	\$ 32.99
CT-PXR3-SET	Set of (3) CT-PXR3-18 cables, one of each color Red, Blue and Yellow XLR Rings, 18" lengths	\$ 95.00
CT-PXR3-24K	24" XLR-3F Right Angle to TA3F Balanced audio bag UCR receiver cable to SD 633, 664, 688, 788T etc., Black XLR Ring	\$ 34.99
	SR Receiver Output Cables (TA5F)	
CT-PSR5PT-224	24" TA5F to (2) TA3F audio bag Lectro SRa5P/SRb5P receiver cable to TA3 balanced inputs on Sound Devices 633, 664 788T etc.	\$ 55.00
CT-PSR5PS-224	24" TA5F to (2) XLR-3M audio bag Lectro SRa5P/SRb5P receiver cable, Mogami cable, Neutrik XLR connectors	\$ 59.00
	LR Receiver Output Cables	
CT-PLR3X-18K	18" TA3F to XLR-3M Balanced Lectrosonics LR receiver output cable	\$ 25.00
CT-PLR3X-24K	24" TA3F to XLR-3M Balanced Lectrosonics LR receiver output cable	\$ 29.00
CT-PLR3T-18K	18" TA3F to TA3F Balanced Lectrosonics LR receiver output cable, for use with TA3 inputs on SD 633, 664, 688, 788T etc.	\$ 18.00
CT-PLR3T-24K	24" TA3F to TA3F Balanced Lectrosonics LR receiver output cable, for use with TA3 inputs on SD 633, 664, 688, 788T etc.	\$ 25.00
	SSM Adapter Cable	
CT-SSM-T5L	6" TA5M to 3-pin Locking [LEMO] Adaptor cable for Lectrosonics TA5F wired mics into SSM Transmitter	\$ 65.00

SOUND DEVICES™ INTERFACE CABLES
PREMIUM QUALITY, GENUINE MATERIALS, ROAD WORTHY

*Production
Essentials
Series*



CONNVERTX-3 - Problem-Solver interface cable for various devices with balanced TA3M connections - most notably Sound Devices 6-Series & 7-Series Field Recorders. The ConnvertX-3 has a selectable "gender" XLR-3 so it can be used as either an Input or Output cable via the devices TA3M connectors. A great "Go-To" cable to have when needing to address TA3 interface situations in the field.



SOUND DEVICES "TAPE OUT" CABLES - Designed for the various Unbalanced Tape Out connections on Sound Devices mixers. Many variations available with 3.5mm TRS or TA3F to XLR-3M connectors or TA5F to feed one or two Lectrosonics transmitters.

633 = X3/X4 via 3.5mm TRS, **644** = Tape Out via either TA3F or 3.5mm TRS, **552** = Tape Out via either TA3F or 3.5mm TRS, **302** = Tape Out via TA3F, **MixPre-D** = Tape Out via TA3F.



SOUND DEVICES 552 TIMECODE CABLE - Designed for getting Timecode into a Sound Devices 552 mixer via the "RTN B/TC IN" connection. Length is 18", TA3F to BNC-M using genuine Canare® L-2.5CFB cable.

Code	Item	Price
CT-CVX-324	ConnvertX-3, 24" Neutrik Selectable Gender Male/Female XLR-3 to TA3F cable, Canare L2E5 cable, Convertcon XLR	\$ 39.99
CT-PTXR-18	18" TA3F to XLR-3 Male cable for Sound Devices balanced TA3 outs to XLR 3-pin inputs, use w/ 633, 644, 688, 552, 788T etc.	\$ 25.00
CT-PTXR-24	24" TA3F to XLR-3 Male cable for Sound Devices balanced TA3 outs to XLR 3-pin inputs, use w/ 633, 644, 688, 552, 788T etc.	\$ 29.00
CT-PXFT-18	18" XLR-3F Female to TA3F cable for Sound Devices balanced TA3 inputs, use w/ 633, 644, 788T, 688, 552 etc.	\$ 25.00
CT-PXFT-24	24" XLR-3F Female to TA3F cable for Sound Devices balanced TA3 inputs, use w/ 633, 644, 788T, 688, 552 etc.	\$ 29.00
CT-P35RLT-18	18" 3.5mm TRS Right Angle to TA5F for Sound Devices Tape Out to Lectro Transmitter, Mono Mix, use with 633, 664, 688, 552, MixPre-D	\$ 35.00
CT-PT3LT-18	18" TA3F to TA5F for Sound Devices Tape Out to a Lectrosonics Transmitter, Mono Mix, use with 664, 552, 302	\$ 35.00
CT-P35RLT2-24	24" 3.5mm TRS Right Angle to (2) TA5F for Sound Devices Tape Out to (2) Lectro Transmitters, Tip = L, Ring = R, for 633, 664, 688, 552 etc.	\$ 49.00
CT-PT3LT2-24	24" TA3F to (2) TA5F for Sound Devices Tape Out to (2) Lectrosonics Transmitters, Pin 2 = L, Pin 3 = R, use with 664, 552, 302	\$ 49.00
CT-P35RUX-224	24" 3.5mm TRS Right Angle to (2) XLR-3 Male, Unbalanced, for Sound Devices Tape Out, Tip = L, Ring = R, for 633, 664, 688, 552 etc.	\$ 55.00
CT-PT3UX-224	24" TA3F to (2) XLR-3 Male for Sound Devices Tape Out, Pin 2 = L, Pin 3 = R, use with 664, 552, 302	\$ 55.00
CT-PTC-318	18" TA3F to BNC-M Timecode In cable for Sound Devices 552 mixers, Canare L-2.5CFB Cable	\$ 29.99
RX-XLRR	18" XLR-3F right angle to TA3F receiver cable for TA3 Balanced input, use with Lectrosonics UCR / Zaxcom RX900M	\$ 25.00

COILED BOOM POLE TO MIXER & COILED CAMERA CABLES

*Production
Essentials
Series*



COILED BOOM POLE CABLES - A tidy way to connect "internally cabled" boom poles to mixer inputs in over the shoulder applications. Features a Right Angle XLR-3F connector with 12" of coil that comfortably extends to about 6' to an XLR-3M. We leave 12" of straight cable on the male side to wire through to the other side of the bag for right-handed boom ops. Also as a 24" XLR-5F Stereo version. Custom, USA-made high-quality coiled cable with Neutrik® XX Series connectors. 15mm diameter coil on 12" mono version and 13mm coil diameter on 24" Stereo cable. Works equally well with straight, bottom exit poles and side-exit XLR connectors

Lightweight: 12" cable is only 2.2 oz with connectors, 24" is 4.2 oz



Code	Item	Price
	Coiled Boom Pole Cables	
CT-CBC-12	XLR-3F Right Angle to XLR-3M coiled "boom to mixer" cable, 12" coil w/ 12" male tail, extends to 6', 15mm dia., 2.2 oz	\$ 55.00
CT-CBC-24S	XLR-5F Right Angle to XLR-5M <u>Stereo</u> coiled "boom to mixer" cable, 24" coil w/ 12" male tail, extend to 6', 13mm dia., 4.2 oz	\$ 68.00
	Coiled Cables for Camera-mounted Sennheiser receivers, Lectrosonics receivers and Microphones	
CT-G3CC-8U	8" 3.5mm TRS Locking to 3.5mm TRS Right Angle coiled cable, 4" coil section, extends to 14", for Sennheiser EK 100 G3 receiver on a DSLR camera, Mono o/p L/R combined	\$ 19.95
CT-LRCC-8U	8" TA3F to 3.5mm TRS Right Angle coiled cable, 4" coil section, extends to 14", for Lectrosonics LR receiver on a DSLR camera, Mono o/p L/R combined	\$ 24.95
CT-LRCC-6B	6" TA3F to XLR-3M coiled cable, extends to 18", for Lectrosonics LR receiver on a DSLR camera with mounted recorder e.g. DR-60 or DR-70	\$ 39.95
CT-CC-6	XLR-3F Right Angle to XLR-3M coiled camera-mounted microphone or Lectro UCR Receiver cable, 6" coil, extends to 18"	\$ 42.00
	Unterminated Coiled Cable	
CT-COIL-18	Unterminated 18" Coiled Cable with 18" straight tail on each side of coil, PUR jacket, 4 conductors and shield, pigtail	\$ 44.00
CT-COIL-12	Unterminated 12" Coiled Cable with 14" straight tail, 2 conductors and shield, pigtail	\$ 44.00



CT-LRCC-8U

CABLES FOR EQUIPMENT MOUNTED ON A CAMERA

HIGH-QUALITY DC CABLES



DC CABLES FOR EQUIPMENT MOUNTED ON A CAMERA - Our DC power cables are used to power Lectrosonics receivers and other equipment mounted on various camera models that incorporate DC power sockets. All cables are carefully handcrafted to the highest standards using only premium components.



Code	Item	Price
CT-CAM-9	9" Hirose to right angle to power a Lectrosonics UCR receiver mounted on a camera from Hirose 4-pin DC socket	\$ 48.00
CT-CAM-8/9	Right angle 8"/9" to Hirose to power (2) Lectrosonics UCR receivers mounted on a camera from Hirose 4-pin DC socket	\$ 52.00
CT-CAMSR-9	9" Hirose to right angle Locking to power a Lectrosonics SR receiver mounted on a camera from Hirose 4-pin DC socket	\$ 48.00
CT-AJA-12	12" Hirose to XLR-4F for powering AJA Ki-PRO or similar devices on a camera from Hirose 4-pin DC socket	\$ 55.00

Cue3 PASSIVE VOLUME CONTROL & LINE TESTER



A handy little box that lets you monitor +4dB line level signals with an earpiece or headphones. The Cue3 is Ideal for IFB listening and LINE testing. It is a Passive device - No batteries are required. The Cue3 will control earpiece or headphone volume for live remotes and phone interviews. IFB situations may be simplified by using the Cue3 instead of battery powered amplifiers. A +4dBm mono line or active headphone output will easily drive an earpiece or for example, Sony MDR-7506 headphones through this passive attenuator.

The Cue3 is small, easy to operate and extremely reliable. You'll find the Cue3 anywhere talent or production people need to control their audio. The use of wireless receivers can be improved too, especially units with no headphone output. Works as a compact & easy to use LINE tester on location for various audio feeds.

**Available as Cue3 only or a bundle set with the popular Voice Technologies VT610TC125 mono earphone.*



Features & Specifications:

- No power required - Passive design
- LINE Level Input, XLR-3M, Unbalanced
- 1/8" (3.5mm) TS mono mini jack for single earphone
- 1/4" TRS Jack for headphones (mono to both ears)
- 1/4" mono jack for single earphone
- Dimensions: 4" x 1 1/2" x 1"
- Weight: only 4.6 oz (130g)

Code	Item	Price
Cue3	Passive Volume Control, for earpieces & headphones, LINE Level input, Unbalanced, Outs: 1/8" T/S, 1/4" T/S, 1/4" TRS [mono to both ears], for hardwired IFB, playback listening and LINE checking	\$ 99.95
CT-CUE3-SET1	Set includes: Cue3 Passive Volume Control and Voice Technologies VT610TC125 Mono Earphone	\$ 149.00
CT-C3QSTM-10	10' Stereo Headphone 1/4" TRS Out RA (Combined to Mono) to XLR-3 Male, Unbalanced, for Stereo Headphone feeds to Cue3	\$ 45.00
CT-C335STM-10	10' Stereo Headphone 3.5mm TRS RA Out (Combined to Mono to XLR-3 Male, Unbalanced, for Stereo Headphone feeds to Cue3	\$ 45.00

SENNHEISER CABLES



Shown: CT-SG3IN-18



Shown: CT-S2KOP-12



Shown: CT-MIN-BOX-18

Code	Item	Price
	Sennheiser Cables, for EK 100 G4/G3 and EK 2000 Wireless Receivers	
CT-MIN-UOX-18	18" 3.5mm TRS Mini Moulded Locking Right Angle to XLR-3 Male, Sennheiser EK 100 G4/G3, XSW-D 3.5mm and RodeLink Deluxe Output cable, Unbalanced	\$ 34.95
CT-MIN-UOX-12	12" 3.5mm TRS Mini Moulded Locking Right Angle to XLR-3 Male, Sennheiser EK 100 G4/G3, XSW-D 3.5mm and RodeLink Deluxe Output cable, Unbalanced, Length ideal for on-camera receiver mounting	\$ 34.95
CT-MIN-UO35-10	10" 3.5mm TRS Mini Moulded Locking Right Angle to 3.5mm TRS Right Angle, Sennheiser EK 100 G4/G3, XSW-D 3.5mm, Senal AWS-2000R, RodeLink or Sony UWP Deluxe Output cable to DSLR 3.5mm mic input, Unbalanced	\$ 29.95
CT-MIN-BOX-18	18" 3.5mm TRS Mini Moulded Locking Right Angle to Straight XLR-3M, Sennheiser EK 2000, Senal AWS-2000R and Sony UWP Output cable, Balanced	\$ 34.95
CT-SG3OP-12	12" 3.5mm TRS to XLR-3 Male, Deluxe Sennheiser EK 100 G3 Output cable, Unbalanced, high quality 3.5mm TRS connector, ultra-durable and flexible, Blue cable	\$ 34.95
CT-SG3OP-24	24" 3.5mm TRS to XLR-3 Male, Deluxe Sennheiser EK 100 G3 Output cable, Unbalanced, high quality 3.5mm TRS connector, ultra-durable and flexible, Blue cable	\$ 39.95
CT-SG3IN-18	18" XLR-3 Female to 3.5mm TRS, Deluxe Sennheiser SK 100 G3 Input cable, high quality 3.5mm TRS connector	\$ 39.95
CT-S2KOP-12	12" 3.5mm TRS to XLR-3 Male, Deluxe Sennheiser EK 2000 Output cable, Balanced, high quality 3.5mm TRS connector, ultra-durable and flexible, Red cable	\$ 34.95
CT-S2KOP-24	24" 3.5mm TRS to XLR-3 Male, Deluxe Sennheiser EK 2000 Output cable, Balanced, high quality 3.5mm TRS connector, ultra-durable and flexible, Red cable	\$ 39.95
CT-SG3T3-18	18" 3.5mm TRS to TA3F, Deluxe Sennheiser EK 100 G3 Output cable, Unbalanced, high quality 3.5mm TRS connector, ultra-durable and flexible, Blue cable, for Sound Devices 633, 664, 688 and 788T TA3M Inputs	\$ 34.95
CT-S2KT3-18	18" 3.5mm TRS to TA3F, Deluxe Sennheiser EK 2000 Output cable, Balanced, high quality 3.5mm TRS connector, ultra-durable and flexible, Red cable, for Sound Devices 633, 664, 688 and 788T TA3M Inputs	\$ 34.95
CT-G3CC-8U	8" 3.5mm TRS Locking to 3.5mm TRS Right Angle coiled cable, 4" coil section, extends to 14", for Sennheiser EK 100 G3 receiver on a DSLR camera, Mono o/p L/R combined	\$ 19.95
RX-TRSBL	18" 3.5mm TRS Locking to TA3F receiver cable for Sound Devices TA3M Inputs or RX Emergency, For Sennheiser EK 2000	\$ 25.00
RX-TRSUL	18" 3.5mm TRS Locking to TA3F receiver cable for Sound Devices TA3M Inputs or RX Emergency, Unbal, For Sennheiser EK 100 G3	\$ 25.00

STANDARD CONNECTORS



Shown: CT-TA5FL-B



Shown: RED16



Shown: CT-HRS4-R

Code	Item	Price
	Standard Connectors	
CT-3.5TRS-K	3.5mm TRS Locking Connector, Black, Gold contacts, for Sennheiser G3 & 2000 Series wireless, Sony, & Azden. Outlet accepts cables up to 6mm.	\$ 5.49
CT-3.5TRS-DLX	Deluxe 3.5mm TRS Locking Connector, Nickel, for Sennheiser G4/G3 & 2K, Sony, Azden, RodeLink	\$ 15.95
CT-TA3F-B	TA3F 3-pin "Mini XLR" connector, Black	\$ 5.49
CT-TA3FL-B	TA3F 3-pin "Mini XLR" connector, Large Outlet Boot, Black	\$ 5.49
CT-TA4F-B	TA4F 4-pin "Mini XLR" connector, Black	\$ 5.49
CT-TA4FL-B	TA4F 4-pin "Mini XLR" connector, Large Outlet Boot, Black	\$ 5.49
CT-TA5F-B	TA5F 5-pin "Mini XLR" connector, Black	\$ 5.49
CT-TA5FL-B	TA5F 5-pin "Mini XLR" connector, Large Outlet Boot, Black	\$ 5.49
CT-TA6FL-B	TA6F 6-pin "Mini XLR" connector, Large Outlet Boot, Black	\$ 5.49
RED16	3-pin Screw-Locking connector (LEMO pin-compatible) for Sennheiser SK50 & SK 2000, Lectrosonics SSM, Audio Ltd. miniTX	\$ 35.00
CT-HRS4-S	4-Pin Male DC connector [Hirose compatible], push-pull, cable mount, for DC powering cables for Sound Devices, Zaxcom, Ambient etc.	\$ 12.95
CT-HRS4-R	4-Pin Male Right Angle DC connector [Hirose compatible], push-pull, cable mount, for DC powering cables for Sound Devices, Zaxcom, Ambient, MX-POWERSLED and more	\$ 14.95
CT-XLR-3F-NS	XLR 3-pin Female Connector, Heavy Duty metal threaded boot, gold contacts, Nickel finish	\$ 3.99
CT-XLR-3F-K	XLR 3-pin Female Connector, Heavy Duty metal threaded boot, gold contacts, Matte Black finish	\$ 3.99
CT-XLR-3M-NS	XLR 3-pin Male Connector, Heavy Duty metal threaded boot, gold contacts, Nickel finish	\$ 3.59
CT-XLR-3M-K	XLR 3-pin Male Connector, Heavy Duty metal threaded boot, gold contacts, Matte Black finish	\$ 3.59

MX-POWERSLED

"BATTERY ELIMINATOR" FOR SOUND DEVICES MixPre-3/MixPre-6 RECORDERS

MX-POWERSLED - MX-POWERSLED is a "Battery Eliminator" for Sound Devices MixPre-3 and MixPre-6 portable recorders with Hirose 4-pin connector. It accepts a DC input range of 9-24V from high capacity rechargables like NP-1 or Smart Batteries and supplies the recorder with consistent regulated power. Eliminates the need for USB power or using AA batteries in the recorders AA Sled in the field = saves time and money.

With the MX-POWERSLED a MixPre Series recorder can be easily integrated into a Bag Rig with wireless receivers etc. all powered by a single rechargeable via a portable DC Distribution system. The Hirose 4-pin connection provides a secure connection and cabling options are readily available.



Features & Specifications:

- INPUT: Hirose 4-pin DC connection
- For Sound Devices MixPre-3 and MixPre-6 [including "M" versions]
- "Battery Eliminator" supplies Regulated DC
- Integrate into Battery Distro Systems
- A Secure Locking Connection compared to USB
- Field-Durable Aluminum Housing
- Powder coat with laser engraved markings
- Accepts 9-24VDC
- Regulated Voltage to MixPre: 7.2V
- Current Draw: 370mA @ 12V
- Fused at 4A
- Hirose: Pin-4 +, Pin-1 -
- Dimensions: 5" x 1 1/4" x 1 1/2"
- Weight: only 3.2 oz (90g)

Code	Item	Price
CT-MX-PS	MX-POWERSLED, External Power adaptor "Battery Eliminator" for Sound Devices MixPre-3/MixPre-6 recorders	\$ 99.00

Cable Techniques products are distributed worldwide by:

Redding Audio, LLC 101 N Plains Industrial Road Building 4 Wallingford, CT 06492
Phone: (203) 269.1808 sales@reddingaudio.com

For Complete Product Details and Dealer Finder go to: cabletechniques.com

Product design, contents and pricing subject to change without notice

Lectrosonics is a registered trademark of Lectrosonics Inc. Sound Devices is registered trademark of Sound Devices, LLC.
Other product and company names mentioned herein may be the trademarks of their respective owners.